


ELECTRODES AND ACCESSORIES FOR SPOT WELDING



ATS
bet on us

UNI EN ISO 9001:2015 Reg.3023-A Quality System Certified Company




INDEX

• Electrode Conicity Table.....	Pag. 4
• Electrodes Caps	Pag. 5
• Electrodes Tips	Pag. 6
• Electrode Cone 9 Conicity 10%	Pag. 7
• Electrode Cone 12 Conicity 10%	Pag. 8/9/10/11
• Electrode Cone 18 Conicity 10%	Pag. 12/13
• Electrodes Cone 36	Pag. 14
• Electrodes Cone 37	Pag. 15
• Electrodes Cone 38	Pag. 16
• Electrodes Cone 87	Pag. 17
• Electrodes For Projection Studs Welding D.20 cone 12-18-36.....	Pag. 18
• Electrodes For Projection Studs Welding D.20 cone 37-38-87	Pag. 19
• Electrodes for Projection Nuts Welding.....	Pag. 20
• Electrodes With Spring for Nuts Welding.....	Pag. 21
• Candles Electrodes-Holders D.16-18-19	Pag. 22
• Candles Electrodes-Holders D.20-21	Pag. 23
• Candles Electrodes-Holders D.22	Pag. 24
• Candles Electrodes-Holders D.25	Pag. 25


INDEX








- Candles Electrodes-Holders D.28-30.....Pag. 26
- Candles Electrodes-Holders D.32-35-36-40 Pag. 27
- Adaptations..... Pag. 28
- Extensions and Candles Electrodes-Holders for Set Screw Pag. 29
- Arms..... Pag. 30
- Universal Arms With Candle, Head and Support..... Pag. 31
- Heads PN4 and 2151Pag. 32
- Heads 3231, Head Electrodes and Electrode Holders..... Pag. 33
- Arm With Electrodes Holder and Ferrules, Half Rings, Clamping Nut..... Pag. 34
- Knife Electrode and Electrode Holder Pag. 35
- Electrode holder Pag. 36
- Foot de Biche Cone 9-12-18 Pag. 37
- Disks for Roller Welding Machines Pag. 38
- Electrode-Holder Dowel Pag. 39
- Air-Cooled Flexible Busbars Pag. 40
- Water-Cooled Flexible Busbars..... Pag. 41
- Flexible Copper Shunts..... Pag. 42




CONE	a°	X	Y
9	2°52'	9	12
10	2°52'	10	10
12	2°52'	12	16
	2°52'	15,75	25
16	2°52'	16	25
18	2°52'	18	22
24	2°52'	24	
MK1	1°25'43"	12,065	21
MK2	1°25'50"	17,78	26
MK3	1°26'16"	23,825	35
36	2°30'	14,8	18
37	2°30'	12,7	18
38	2°30'	10,7	12
87	2°30'	19	32

DETTAGLIO:A



**TYPE A****TYPE B****TYPE C****TYPE D****TYPE E****TYPE F****TYPE G**

d1 h11	d2	d3	l1	l2 0 ^{+0.5}	e	R1	R2	a
13	5	10	18	8	3	32	5	-
16	6	12	20	9,5	4	40	6	15°
20	8	15	22	11,5	5	50	8	22,5°




ATSTIPSC12

ATSTIPSC10


ATSTIPSC12G16

Electrode Tips With Flat Top




d	d1	d2	CONE	at°	X	Y	9	2°52'	9
12									
2°52'	15,75	25	16	2°52'	16	25	18	2°52'	18
22	24	2°52'	24	39	MK1	1°25'43"	12,065	21	MK2
1°25'50"	17,78	26	MK3	1°26'16"	23,825	35	36	2°30'	


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




ATSE098211




ATSE098212




ATSE098213




ATSE098214




ATSE098215




ATSE098216




ATSE098217




ATSE098218




ATSE098219




ATSEG12FC




ATSEG121617




ATSEG121617FC




ATSETIPSC12




ATSE128240




ATSE128235




ATSE128243




ATSE128242




ATSE128224




ATSE128228




ATSE128229




ATSE128230




ATSE128231




ATSE128227




ATSE128249




ATSE128250




ATSE128251




ATSE128252




ATSE128253




ATSE128244




ATSE128245




ATSE128246




ATSE128247




ATSE12824718




ATSE12824716




ATSE128238




ATSE128245/2




ATSE128245/3




ATSE128245/4




ATSE128241/6




ATSE128241/3




ATSE128232




ATSE128233




ATSE1259




ATSE188259




ATSE188261




ATSE188275




ATSE188276




ATSE188282




ATSE188283




ATSE188273




ATSE188274




ATSE188280




ATSE188285




ATSE188284




ATSE188264




ATSE188281




ATSE188254



ATSE188257




ATSE188258




ATSE1865


ATS S.r.l. is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




ATSE3620




ATSE3621




ATSE3622




ATSE3623




ATSE3624




ATSE3625




ATSE3720




ATSE3721




ATSE3722




ATSE3723




ATSE3724




ATSE3725




ATSE3816




ATSE3820




ATSE3821




ATSE3822




ATSE3830




ATSE3831




ATSE3834




ATSE3835




ATSE8701




ATSE8702



ATSE8703




ATSE8704




ATSE8706

Electrodes For Projection Studs Welding D.20 cone 12




CODE	D
ATSPCAP412	M4
ATSPCAP512	M5
ATSPCAP612	M6
ATSPCAP812	M8
ATSPCAP1012	M10
ATSPCAP1212	M12




CODE	D
ATSCAPF420	M4
ATSCAPF520	M5
ATSCAPF620	M6
ATSCAPF820	M8
ATSCAPF1020	M10
ATSCAPF1220	M12

Electrodes For Projection Studs Welding D.25 cone 18




CODE	D
ATSPCAP418	M4
ATSPCAP518	M5
ATSPCAP618	M6
ATSPCAP818	M8
ATSPCAP1018	M10
ATSPCAP1012	M12




CODE	D
ATSCAPF425	M4
ATSCAPF525	M5
ATSCAPF625	M6
ATSCAPF825	M8
ATSCAPF1025	M10
ATSCAPF1225	M12

Electrodes For Projection Studs Welding D.25 cone 36




CODE	D
ATSPCAP436	M4
ATSPCAP536	M5
ATSPCAP636	M6
ATSPCAP836	M8
ATSPCAP1036	M10
ATSPCAP1236	M12




CODE	D
ATSCAPF425	M4
ATSCAPF525	M5
ATSCAPF625	M6
ATSCAPF825	M8
ATSCAPF1025	M10
ATSCAPF1225	D1

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys

Electrodes For Projection Studs Welding D.25 cone 37




CODE	D
ATSPCAP437	M4
ATSPCAP537	M5
ATSPCAP637	M6
ATSPCAP837	M8
ATSPCAP1037	M10
ATSPCAP1237	M12




CODE	5
ATSCAPF420	M4
ATSCAPF520	M5
ATSCAPF620	M6
ATSCAPF820	M8
ATSCAPF1020	M10
ATSCAPF1220	M12

Electrodes For Projection Studs Welding D.25 cone 38




CODE	D
ATSPCAP438	M4
ATSPCAP538	M5
ATSPCAP638	M6
ATSPCAP838	M8
ATSPCAP1038	M10
ATSPCAP1238	M12




CODICE	D
ATSCAPF420	M4
ATSCAPF520	M5
ATSCAPF620	M6
ATSCAPF820	M8
ATSCAPF1020	M10
ATSCAPF1220	M12

Electrodes For Projection Studs Welding D.25 cone 87



CODE	D
ATSPCAP487	M4
ATSPCAP587	M5
ATSPCAP687	M6
ATSPCAP887	M8
ATSPCAP1087	M10
ATSPCAP1287	M12



CODE	D
ATSCAPF425	M4
ATSCAPF525	M5
ATSCAPF625	M6
ATSCAPF825	M8
ATSCAPF1025	M10
ATSCAPF1225	M12


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys

Electrodes for Projection Nuts Welding with Insulated Pin Cone 12



CODE	D	d
ATSEPI412	20	M4
ATSEPI512	20	M5
ATSEPI612	20	M6
ATSEPI812	20	M8
ATSEPI1012	22	M10
ATSEPI1212	22	M12

Electrodes for Projection Nuts Welding with Insulated Pin Cone 18




CODE	D	d
ATSEPI418	20	M4
ATSEPI518	20	M5
ATSEPI618	20	M6
ATSEPI818	20	M8
ATSEPI1018	22	M10
ATSEPI1218	22	M12

Electrodes for Projection Nuts Welding with Insulated Pin Cone 36



CODE	D	d
ATSEPI436	20	M4
ATSEPI536	20	M5
ATSEPI636	20	M6
ATSEPI836	20	M8
ATSEPI1036	22	M10
ATSEPI1236	22	M12

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




Ø CONE	Ø NUT THREAD	Ø SHEET HOLE	Ø ELECTRODE	MAX. SHEET THICKNESS
ON REQUEST	ON REQUEST	ON REQUEST	BASED ON DATA RECEIVED	ON REQUEST

A.T.S. s.r.l. Quality System Certified Company UNI EN ISO 9001:2015 Reg.3023/A



- All measurements are expressed in mm.
- Electrodes can be supplied for welding nuts with spring according to


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



Ø B	L	Ø A	CODE
16	90	12	ATSCAN169012
	100		ATSCAN1610012
	120		ATSCAN1612012
	130		ATSCAN1613012
	150		ATSCAN1615012
	160		ATSCAN1616012
18	200	12	ATSCAN1820012
		37	ATSCAN1820037
	220	12	ATSCAN1822012
	230	38	ATSCAN1823038
	250	12	ATSCAN1825012
19	50	12	ATSCAN195012
	60		ATSCAN196012
			9
	80	12	ATSCAN198012
	90		ATSCAN199012
	120		ATSCAN1912012
	140		ATSCAN1914012
	150		ATSCAN1915012
		37	ATSCAN1915037
	160	12	ATSCAN1916012
	170	36	ATSCAN1917036
	180	12	ATSCAN1918012
		37	ATSCAN1918037
	200	12	ATSCAN1920012
		37	ATSCAN1920037
		9	ATSCAN192009
		12	ATSCAN1922012
	220	37	ATSCAN1922037
	240	12	ATSCAN1924012
		37	ATSCAN1924037
	250	12	ATSCAN1925012
	280		ATSCAN1928012
	300		ATSCAN1930012
		37	ATSCAN1930037
	500	12	ATSCAN1950012


- All measurements are expressed in mm
- Candles available according to customer specifications

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



Ø B	L	Ø A	CODE
20	50	12	ATSCAN205012
	100		ATSCAN2010012
	120		ATSCAN2012012
	150	37	ATSCAN2012037
		12	ATSCAN2015012
	200	37	ATSCAN2015037
		12	ATSCAN2016012
		12	ATSCAN2020012
	220	13	ATSCAN2020013
		18	ATSCAN2020018
21	260	12	ATSCAN2022012
	300	37	ATSCAN2026037
	60	12	ATSCAN2030012
		12	ATSCAN216012
			ATSCAN2110012
			ATSCAN2112012
	120	12	ATSCAN2115012
	150		ATSCAN2117016
	170		ATSCAN2118012
	180	12	ATSCAN2120012
	200		ATSCAN2122012
	220		ATSCAN2124012
	240		ATSCAN2130012
	300	16	ATSCAN2133016
	330		ATSCAN2133016


- All measurements are expressed in mm
- Candles available according to customer specifications



Ø B	L	Ø A	CODE
22	80	12	ATSCAN228012
	80	36	ATSCAN228036
	120		ATSCAN2212036
	130	12	ATSCAN2213012
	130	18	ATSCAN2213018
	150	12	ATSCAN2215012
		16	ATSCAN2215016
		18	ATSCAN2215018
		36	ATSCAN2215036
		37	ATSCAN2215037
	170		ATSCAN2217037
	180	12	ATSCAN2218012
		36	ATSCAN2218036
		37	ATSCAN2218037
	200	12	ATSCAN2220012
		36	ATSCAN2220036
		37	ATSCAN2220037
	220	18	ATSCAN2222018
		12	ATSCAN2222012
		36	ATSCAN2222036
	240		ATSCAN2224036
		37	ATSCAN2224037
	250	12	ATSCAN2225012
		18	ATSCAN2225018
		37	ATSCAN2225037
	260	36	ATSCAN2226036
	300	12	ATSCAN2230012
		36	ATSCAN2230036
		37	ATSCAN2230037
	320	36	ATSCAN2232036
	350	10	ATSCAN2235010
		12	ATSCAN2235012
		36	ATSCAN2235036
	400	12	ATSCAN2240012
		36	ATSCAN2240036

- All measurements are expressed in mm
- Candles available according to customer specifications

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




Ø B	L	Ø A	CODE
25	60	12	ATSCAN256012
		36	ATSCAN256036
	80	12	ATSCAN258012
		18	ATSCAN258018
	100	12	ATSCAN2510012
		18	ATSCAN2510018
		36	ATSCAN2510036
	120	12	ATSCAN2512012
	130	18	ATSCAN2513018
		36	ATSCAN2513036
	150	12	ATSCAN2515012
		16	ATSCAN2515016
		18	ATSCAN2515018
		36	ATSCAN2515036
		37	ATSCAN2515037
		87	ATSCAN2515087
	180	12	ATSCAN2518012
		18	ATSCAN2518018
		36	ATSCAN2518036
	200	12	ATSCAN2520012
		18	ATSCAN2520018
		36	ATSCAN2520036
	210	36	ATSCAN2521036
	220	18	ATSCAN2522018
	240	36	ATSCAN2524036
	250	12	ATSCAN2525012
		18	ATSCAN2525018
	280	12	ATSCAN2528012
	300	12	ATSCAN2530012
		18	ATSCAN2530018
		36	ATSCAN2530036
	340	36	ATSCAN2534036
	350	12	ATSCAN2535012
	400	12	ATSCAN2540012
		16	ATSCAN2540016
	500	36	ATSCAN2550036

A.T.S. s.r.l. Quality System Certified Company UNI EN ISO 9001:2015 Reg.3023/A


- All measurements are expressed in mm
- Candles available according to customer specifications

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




Ø B	L	Ø A	CODE
28	100	12	ATSCAN2810012
	170	36	ATSCAN2817036
	200	12	ATSCAN2820012
		36	ATSCAN2820036
		37	ATSCAN2820037
	230	18	ATSCAN2823018
	250		ATSCAN2825018
30	70	12	ATSCAN307012
	100	87	ATSCAN307087
		18	ATSCAN3010018
	150	36	ATSCAN3015036
		12	ATSCAN3020012
	200	18	ATSCAN3020018
		87	ATSCAN3020087
		18	ATSCAN3022018
	220	38	ATSCAN3023038
	250	18	ATSCAN3025018
		36	ATSCAN3025036
		87	ATSCAN3025087
	300	18	ATSCAN3030018
		87	ATSCAN3030087
	500	18	ATSCAN3050018

- All measurements are expressed in mm
- Candles available according to customer specifications



Ø B	L	Ø A	CODE
32	200	18	ATSCAN3220018
		87	ATSCAN3220087
	220	18	ATSCAN3222018
		87	ATSCAN3222087
	240		
	250	18	ATSCAN3225018
		36	ATSCAN3225036
		87	ATSCAN3225087
	270	36	ATSCAN3227036
	300	12	ATSCAN3230012
		18	ATSCAN3230018
	320		
	350	36	ATSCAN3235036
	35	70	38
150		18	ATSCAN3515018
180			ATSCAN3518018
200			ATSCAN3520018
		87	ATSCAN3520087
250		18	ATSCAN3525018
	87	ATSCAN3525087	
36	200	18	ATSCAN3620018
40	320	24	ATSCAN4032024


- All measurements are expressed in mm
- Candles available according to customer specifications



CONE A	CONE B	CODE
12	M12	ATSRID129
12	18	ATSRID1218
12	36	ATSRID1236
12	38	ATSRID1238
16	12	ATSRID1612
18	9	ATSRID189
18	12	ATSRID1812
18	36	ATSRID1836
36	12	ATSRID3612
36	18	ATSRID3618
37	12	ATSRID3712
38	12	ATSRID3812
87	12	ATSRID8712
87	18	ATSRID8718
87	37	ATSRID8737

- All measurements are expressed in mm.
- Reductions can be provided according to customer specifications


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



CONE A	CONE A	H	CODE
12	12	40	ATSPRO1212D16L40
12	12	60	ATSPRO1212D16L60
12	12	70	ATSPRO1212D16L70
37	37	50	ATSPRO3737D16L50
38	38	40	ATSPRO3838D16L40
87	87	100	ATSPRO8787D25L100

- All measurements are expressed in mm.
- Extensions can be supplied according to customer specifications.


Candles Electrodes-Holders for Set Screw



H1	H2	CONE	ØD	CODE
100	100	12	21	ATSPEXGR21C12
100	100	12	22	ATSPEXGR22C12
100	100	12	30	ATSPEXGR30C12
100	100	12	32	ATSPEXGR32C12
100	100	9	22	ATSPEXGRD22C9
100	100	9	25	ATSPEXGRD25C9
80	160	12	25	ATSPEXGRD25C12


- All measurements are expressed in mm.
- Electrode-holding spark plugs for grub screws can be supplied according to customer specifications.

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




Dimensions on request

Arm with Straight head




Dimensions on request

Arm with Tilted Head




Dimensions on request



Dimensions and Taper on request

Universal Arm with Candle and Tilted Head




Dimensions and Taper on request


Universal Candle Arm Holder



Dimensions on request




ATSTESPN4DIR




ATSTESPN4INCL

Lower Heads 2151 Cone 12




ATSTES2151ID




ATSTES2151INC

Top Heads 2151




ATSTES2151SD




ATSTES2151SINC

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys





ATSTES3231SD





ATSTES3231INC

Head Electrodes and Electrode Holders




A.T.S. s.r.l. Quality System Certified Company UNI EN ISO 9001:2015 Reg.3023/A




Dimensions on request

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



Dimensions and taper on request


Arm with Inclined Electrode Holder



Dimensions and taper on request


A.T.S. s.r.l. Quality System Certified Company UNI EN ISO 9001:2015 Reg.3023/A

Ferrules - Semi Rings and Nuts Clamping




Dimensions on request

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




AØ	B	C	D	E
20	150	70	10	40
22	150	80	12	50
25	150	90	14	60
30	150	100	15	60


Electrode Holders




ATS39493



ATS39494




ATS44131




ATS45188

Dimensions and Taper on request


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys




ATS38349



ATS39636




ATS44947



ATS44971

Dimensions and Taper on request


ATS S.r.l. is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



	Ø (mm)	L (mm)
A	16	50
		160
B	16	50
		160

Dimensions on request


Foot de Biche Cone 12



	Ø(mm)	L(mm)
A	19	80
		115
		150
		250
	25	130
		240
		320
B	19	80
		115
		150
		250

Dimensions on request




Foot de Biche Cone 18




	Ø(mm)	L(mm)
A	25	160
		260
		360
	30	160
		260
		360
B	25	160
		260

Dimensions on request

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



Dimensions on request




A.T.S. s.r.l. Quality System Certified Company UNI EN ISO 9001:2015 Reg.3023/A

Ø A	B	C	Ø E	CODE
15,5	32	72	20	ATS31548728
19	40	78	22	ATS31548731

- All measurements are expressed in mm


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



SECTION	A	B	F	ØD	G	ØKD	R
mm ²	mm	mm	mm	mm	mm	mm	mm
300	16	32	42	13	15	30	50
400	16	32	42	13	18	36	65
500	16	32	42	13	21	38	75
600	16	32	42	13	25	42	90
"L" LENGTH ACCORDING TO CUSTOMER REQUIREMENTS							

- All measurements are expressed in mm


ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



SECTION	S	ØB	ØKD	R
mm ²	mm	mm	mm	mm
150	15	28	40	70
185	16	28	40	80
240	18	32	44	85
300	18	32	44	100
400	21	38	50	130
"L" LENGTH ACCORDING TO CUSTOMER REQUIREMENTS				

- All measurements are expressed in mm

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



° FOLD	R	S	B	L	M	INTERNAL DEVELOPMENT (mm)	EXTERNAL DEVELOPMENT (mm)
180°					/		
90°					/		
0°	/					/	/

- PLEASE INDICATE THE MISSING DATA AT THE TIME OF YOUR REQUEST OR ORDER.

Different sizes available on request

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



Welding Cylinders



Pneumatic Electrode Revitaliser



Closed Circuit Chillers



***Copper, Beryllium Copper, Copper Chromium
Zirconium***

ATS S.r.l is a qualified supplier of standard electrodes or electrodes according to customer specifications for resistance welding with certified alloys



On 22/07/2002 the company obtained with great satisfaction and pride the UNI EN ISO 9001:2000 Quality Management System certification, adapting to the UNI EN ISO 9001:2008 standard from 01/07/2009 and subsequently to the new UNI EN ISO 9001:2015 standard from 03/04/2018.

The main focus is on the customer, on the ability to recognize their needs and expectations, in order to be in line with market expectations trying to achieve the set objectives through continuous improvement.

The company A.T.S. S.n.c. was founded in 1983 initially as a technical assistance in the field of spot welding, subsequently, thanks to the numerous requests of customers, the license for the marketing of welding systems and related spare parts was acquired.

Today A.T.S. S.r.l., with the help of valid collaborators who systematically attend training and refresher courses, is at the forefront in the supply of equipment and materials in the catalog so called standards. It is also specialized in the production of parts to customer specifications, and any other object on request related to the field of spot welding, pin welding and fixing.

All the equipment supplied is guaranteed by the assistance of specialized internal technical personnel who make use of certified instruments.



CONTACTS

ADDRESS:

A.T.S. s.r.l. 40023 Castel Guelfo (BOLOGNA) – Via del Mangano, 4/A

TELEPHONE:

+39 0542.67.04.27

FAX:

+39 0542.67.04.37

EMAIL:

info@atslamberti.com

SITE:

[http:// www.atslamberti.com](http://www.atslamberti.com)

P.IVA:

00824841209 **C.F.** 04169740372

